

**McCAMMON CHEVRON (PWS 6030079)  
SOURCE WATER ASSESSMENT FINAL REPORT**

---

**March 23, 2001**



**State of Idaho  
Department of Environmental Quality**

**Disclaimer:** This publication has been developed as part of an informational service for the source water assessments of public water systems in Idaho and is based on the data available at the time and the professional judgement of the staff. Although reasonable efforts have been made to present accurate information, no guarantees, including expressed or implied warranties of any kind, are made with respect to this publication by the State of Idaho or any of its agencies, employees, or agents, who also assume no legal responsibility for the accuracy of presentations, comments, or other information in this publication. The assessment is subject to modification if new data is produced.

Under the Federal Safe Drinking Water Act Amendments of 1996, all states are required by the U.S. Environmental Protection Agency (EPA) to assess every source of public drinking water for its relative sensitivity to contaminants regulated by the Act. The Idaho Department of Environmental Quality (DEQ) is completing the assessments for all Idaho public drinking water systems. The assessment for the McCammon Chevron drinking water source is based on a land use inventory within a 1,000 foot radius of the well source, sensitivity factors associated with the source, and characteristics associated with either your aquifer or watershed in which you live.

This report, *Source Water Assessment for the McCammon Chevron (PWS # 6030079)* describes the public drinking water system, the associated potential contaminant sources located within a 1,000 foot boundary around the drinking water source, and the susceptibility (risk) that may be associated with any associated potential contaminants. This assessment should be used as a planning tool, taken into account with local knowledge and concerns, to develop and implement appropriate protection measures for this system. **The results should not be used as an absolute measure of risk and they should not be used to undermine public confidence in the McCammon Chevron water system.**

The McCammon Chevron drinking water system consists of one well located east of the fuel underground storage tanks (Figure 1). At this time, there appears to be no primary water quality associated with the well source. The potential contaminant sources within the delineation capture zone include underground and above ground storage tank facilities and a former underground storage tank facility (Figure 2). Contaminants of concern are primarily business chemicals such as petroleum products.

The susceptibility of the well to contamination was ranked as high, moderate, or low risk according to the following considerations: hydrologic characteristics, physical integrity of the well, land use characteristics, and potentially significant contaminant sources. The susceptibility rankings are specific to a particular potential contaminant or category of contaminants. Therefore, a high susceptibility rating relative to one potential contaminant does not mean that the water system is at the same risk for all other potential contaminants. The relative ranking that is derived for each well is a qualitative, screening-level step that, in many cases, uses generalized assumptions and best professional judgement.

Hydrologic sensitivity was rated high for the well. The high score indicates that the well is potentially sensitive due to well-drained soils types, the make up of the vadose zone (zone from land surface to the water table) and whether 50 feet of low permeability units are present between the surface and the water producing zone of the aquifer. Well construction directly affects the ability of the well to protect the aquifer from contaminants. Well construction was rated moderate for the well primarily due to a lack of information regarding whether the well casing and annular seal extend into a low permeable geologic formation, two important aspects of proper well construction. The well is located outside the 100-year floodplain and is protected from surface runoff. The final susceptibility ranking for the well is high for volatile organic and synthetic organic contaminants, and moderate for microbial contaminants and inorganic contaminants (Table 2). A copy of the susceptibility analysis for the McCammon Chevron system along with a map showing any potential contaminant sources is included with this summary. Information regarding the potential contaminants within the 1,000 foot boundary have been summarized and included in Table 1.

**Table 1. McCammon Chevron Potential Contaminant Inventory**

| Site # | Source Description           | Source of Information | Potential Contaminants <sup>3</sup> |
|--------|------------------------------|-----------------------|-------------------------------------|
| 1      | Former UST <sup>1</sup> site | Database Inventory    | VOC, SOC                            |
| 2      | UST site                     | Database Inventory    | VOC, SOC                            |
| 3      | AST <sup>2</sup> site        | Database Inventory    | VOC, SOC                            |

<sup>1</sup>UST = underground storage tank, <sup>2</sup>AST = aboveground storage tank, <sup>3</sup>VOC = volatile organic chemical, <sup>3</sup> SOC = synthetic organic chemical,

**Table 2. Summary of McCammon Chevron Susceptibility Evaluation**

| Well | Susceptibility Scores <sup>1</sup> |                       |     |     |            |                     |                              |     |     |            |
|------|------------------------------------|-----------------------|-----|-----|------------|---------------------|------------------------------|-----|-----|------------|
|      | Hydrologic Sensitivity             | Contaminant Inventory |     |     |            | System Construction | Final Susceptibility Ranking |     |     |            |
|      |                                    | IOC                   | VOC | SOC | Microbials |                     | IOC                          | VOC | SOC | Microbials |
| 1    | H                                  | M                     | M   | M   | L          | M                   | M                            | H   | H   | M          |

<sup>1</sup>H = High Susceptibility, M = Moderate Susceptibility, L = Low Susceptibility

IOC = inorganic chemical, VOC = volatile organic chemical, SOC = synthetic organic chemical

This assessment should be used as a basis for determining appropriate new protection measures or re-evaluating existing protection efforts. No matter what ranking a source receives, protection is always important. Whether the source is currently located in a “pristine” area or an area with numerous industrial and/or agricultural land uses, the way to ensure good water quality in the future is to act now to protect valuable water supply resources.

For the McCammon Chevron, source water protection activities should focus on implementation of practices aimed at keeping the distribution system free of microbial contaminants. The system will want to consider using disinfection if persistent microbial problems ever arise. The water system should also consider developing a wellhead protection plan. Source water protection activities should be aimed at long-term management strategies even though these strategies may not yield results in the near term. For assistance in developing protection strategies please contact the Pocatello Regional Office of the Idaho Department of Environmental Quality at (208) 236-6160.

## POTENTIAL CONTAMINANT INVENTORY LIST OF ACRONYMS AND DEFINITIONS

**AST (Aboveground Storage Tanks)** – Sites with aboveground storage tanks.

**Business Mailing List** – This list contains potential contaminant sites identified through a yellow pages database search of standard industry codes (SIC).

**CERCLIS** – This includes sites considered for listing under the **Comprehensive Environmental Response Compensation and Liability Act (CERCLA)**. CERCLA, more commonly known as “Superfund” is designed to clean up hazardous waste sites that are on the national priority list (NPL).

**Cyanide Site** – DEQ permitted and known historical sites/facilities using cyanide.

**Dairy** – Sites included in the primary contaminant source inventory represent those facilities regulated by Idaho State Department of Agriculture (ISDA) and may range from a few head to several thousand head of milking cows.

**Deep Injection Well** – Injection wells regulated under the Idaho Department of Water Resources generally for the disposal of stormwater runoff or agricultural field drainage.

**Enhanced Inventory** – Enhanced inventory locations are potential contaminant source sites added by the water system. These can include new sites not captured during the primary contaminant inventory, or corrected locations for sites not properly located during the primary contaminant inventory. Enhanced inventory sites can also include miscellaneous sites added by the Idaho Department of Environmental Quality (IDEQ) during the primary contaminant inventory.

**Floodplain** – This is a coverage of the 100-year floodplains.

**Group 1 Sites** – These are sites that show elevated levels of contaminants and are not within the priority one areas.

**Inorganic Priority Area** – Priority one areas where greater than 25% of the wells/springs show constituents higher than primary standards or other health standards.

**Landfill** – Areas of open and closed municipal and non-municipal landfills.

**LUST (Leaking Underground Storage Tank)** – Potential contaminant source sites associated with leaking underground storage tanks as regulated under RCRA.

**Mines and Quarries** – Mines and quarries permitted through the Idaho Department of Lands.)

**Nitrate Priority Area** – Area where greater than 25% of wells/springs show nitrate values above 5mg/l.

**NPDES (National Pollutant Discharge Elimination System)** – Sites with NPDES permits. The Clean Water Act requires that any discharge of a pollutant to waters of the United States from a point source must be authorized by an NPDES permit.

**Organic Priority Areas** – These are any areas where greater than 25 % of wells/springs show levels greater than 1% of the primary standard or other health standards.

**Recharge Point** – This includes active, proposed, and possible recharge sites on the Snake River Plain.

**RICRIS** – Site regulated under **Resource Conservation Recovery Act (RCRA)**. RCRA is commonly associated with the cradle to grave management approach for generation, storage, and disposal of hazardous wastes.

**SARA Tier II (Superfund Amendments and Reauthorization Act Tier II Facilities)** – These sites store certain types and amounts of hazardous materials and must be identified under the Community Right to Know Act.

**Toxic Release Inventory (TRI)** – The toxic release inventory list was developed as part of the Emergency Planning and Community Right to Know (Community Right to Know) Act passed in 1986. The Community Right to Know Act requires the reporting of any release of a chemical found on the TRI list.

**UST (Underground Storage Tank)** – Potential contaminant source sites associated with underground storage tanks regulated as regulated under RCRA.

**Wastewater Land Applications Sites** – These are areas where the land application of municipal or industrial wastewater is permitted by IDEQ.

**Wellheads** – These are drinking water well locations regulated under the Safe Drinking Water Act. They are not treated as potential contaminant sources.

**NOTE:** Many of the potential contaminant sources were located using a geocoding program where mailing addresses are used to locate a facility. Field verification of potential contaminant sources is an important element of an enhanced inventory

## Ground Water Final Susceptibility Scoring

0-5 = Low Susceptibility

6-12 = Moderate Susceptibility

13-18 = High Susceptibility

## Ground Water Susceptibility Report

Public Water System Name :

MCCAMMON CHEVRON

Well# : WELL

Public Water System Number 6030079

| 1. System Construction  |   | SCORE             |              |              |                    |
|---|---|-------------------|--------------|--------------|--------------------|
|   | Drill Date  |                   |              |              |                    |
|   | Driller Log Available   | NO                |              |              |                    |
|   | Sanitary Survey (if yes, indicate date of last survey)        | YES               | 1998         |              |                    |
|   | Well meets IDWR construction standards                        | NO                | 1            |              |                    |
|   | Wellhead and surface seal maintained                          | YES               | 0            |              |                    |
|   | Casing and annular seal extend to low permeability unit       | NO                | 2            |              |                    |
|   | Highest production 100 feet below static water level          | NO                | 1            |              |                    |
|   | Well located outside the 100 year flood plain                 | YES               | 0            |              |                    |
| Total System Construction Score                               |   |                   | 4            |              |                    |
| 2. Hydrologic Sensitivity                                     |   |                   |              |              |                    |
|   | Soils are poorly to moderately drained                        | NO                | 2            |              |                    |
|   | Vadose zone composed of gravel, fractured rock or unknown     | YES               | 1            |              |                    |
|   | Depth to first water > 300 feet                               | NO                | 1            |              |                    |
|   | Aquitard present with > 50 feet cumulative thickness          | NO                | 2            |              |                    |
| Total Hydrologic Score  |   |                   | 6            |              |                    |
| 3. Potential Contaminant / Land Use - ZONE 1A                 |   | IOC<br>Score      | VOC<br>Score | SOC<br>Score | Microbial<br>Score |
|   | Land Use Zone 1A  | IRRIGATED PASTURE | 1            | 1            | 1                  |
|   | Farm chemical use high  | NO                | 0            | 0            |                    |
|   | IOC, VOC, SOC, or Microbial sources in Zone 1A                | NO                | NO           | NO           | NO                 |
| Total Potential Contaminant Source/Land Use Score - Zone 1A   |   | 1                 | 1            | 1            | 1                  |
| Potential Contaminant / Land Use - ZONE 1B                    |   |                   |              |              |                    |
|   | Contaminant sources present (Number of Sources)               | YES               | 0            | 3            | 3                  |
|   | (Score = # Sources X 2 ) 8 Points Maximum                     |                   | 0            | 6            | 6                  |
|   | Sources of Class II or III leacheable contaminants or         | YES               | 4            | 3            | 0                  |
|   | 4 Points Maximum  |                   | 4            | 3            | 0                  |
|   | Zone 1B contains or intercepts a Group 1 Area                 | NO                | 0            | 0            | 0                  |
|   | Land use Zone 1B Greater Than 50% Irrigated Agricultural Land |                   | 4            | 4            | 4                  |
| Total Potential Contaminant Source / Land Use Score - Zone 1B |   | 8                 | 13           | 10           | 4                  |
| Cumulative Potential Contaminant / Land Use Score             |   | 9                 | 14           | 11           | 5                  |
| 4. Final Susceptibility Source Score                          |   | 12                | 14           | 13           | 12                 |
| 5. Final Well Ranking   |   | Moderate          | High         | High         | Moderate           |